

# QUESTIONS & ANSWERS

Kill your exam at first Attempt



1Z0-082 Dumps  
1Z0-082 Braindumps  
1Z0-082 Real Questions  
1Z0-082 Practice Test  
1Z0-082 dumps free



**Oracle**

# 1Z0-082

*Oracle Database Administration I*

<http://killexams.com/pass4sure/exam-detail/1Z0-082>



### Question: 70

Which three statements are true about a self join? (Choose three.)

- A. The ON clause must be used**
- B. The query must use two different aliases for the table**
- C. It must be an equijoin**
- D. It must be an inner join**
- E. The ON clause can be used**
- F. It can be an outer join**

Answer: BDE

### Question: 71

Which two statements are true regarding a SAVEPOINT? (Choose two.)

- A. Rolling back to a SAVEPOINT can undo a CREATE INDEX statement**
- B. Rolling back to a SAVEPOINT can undo a TRUNCATE statement**
- C. Only one SAVEPOINT may be issued in a transaction**
- D. A SAVEPOINT does not issue a COMMIT**
- E. Rolling back to a SAVEPOINT can undo a DELETE statement**

Answer: DE

### Question: 72

Which three functions are performed by dispatchers in a shared server configuration? (Choose three.)

- A. writing inbound request to the common request queue from all shared server connections**
- B. checking for outbound shared server responses on the common outbound response queue**
- C. receiving inbound requests from processes using shared server connections**
- D. sending each connection input request to the appropriate shared server input queue**
- E. broadcasting shared server session responses back to requesters on all connections**
- F. sending shared server session responses back to requesters on the appropriate connection**

Answer: ACD

### Question: 73

Which three statements are true concerning logical and physical database structures? (Choose three.)

- A. All tablespaces may have one or more data files**
- B. The extents of a segment must always reside in the same datafile**
- C. A smallfile tablespace might be bigger than a bigfile tablespace**
- D. A segment can span multiple data files in some tablespaces**
- E. A segment's blocks can be of different sizes**
- F. A segment might have only one extent**
- G. Segments can span multiple tablespaces**

Answer: CFG

### Question: 74

You have been tasked to create a table for a banking application.

One of the columns must meet three requirements:

1. Be stored in a format supporting date arithmetic without using conversion functions
2. Store a loan period of up to 10 years
3. Be used for calculating interest for the number of days the loan remains unpaid

Which data type should you use?

- A. INTERVAL YEAR TO MONTH**
- B. INTERVAL DAY TO SECOND**
- C. TIMESTAMP WITH LOCAL TIMEZONE**
- D. TIMESTAMP**
- E. TIMESTAMP WITH TIMEZONE**

Answer: B

### Question: 75

In the spfile of a single instance database, LOCAL\_LISTENER is set to LISTENER\_1.

The TNSNAMES.ORA file in \$ORACLE\_HOME/network/admin in the database home contains:

```
LISTENER_1 =  
  (ADDRESS =  
    (PROTOCOL = TCP)  
    (HOST = host1.abc.com)  
    (PORT = 1521)  
  )
```

Which statement is true?

- A. Dynamic service registration cannot be used for this database instance**
- B. The LREG process registers services dynamically with the LISTENER\_1 listener**
- C. LISTENER\_1 must also be defined in the LISTENER.ORA file to enable dynamic service registration**
- D. There are two listeners named LISTENER and LISTENER\_1 running simultaneously using port 1521 on the same host as the database instances**
- E. The definition for LISTENER\_1 requires a CONNECT\_DATA section to enable dynamic service registration**

Answer: C

Reference: <https://docs.oracle.com/database/121/NETAG/listenercfg.htm#NETAG292>

### Question: 76

Which two statements are true about date/time functions in a session where NLS\_DATE\_FORMAT is set to DD-MON-YYYY HH24:MI:SS? (Choose two.)

- A. CURRENT\_TIMESTAMP returns the same date and time as SYSDATE with additional details of fractional seconds**
- B. SYSDATE can be queried only from the DUAL table**
- C. CURRENT\_DATE returns the current date and time as per the session time zone**
- D. SYSDATE can be used in expressions only if the default date format is DD-MON-RR**
- E. SYSDATE and CURRENT\_DATE return the current date and time set for the operating system of the database server**
- F. CURRENT\_TIMESTAMP returns the same date as CURRENT\_DATE**

Answer: BC

Question: 77

A database is configured to use automatic undo management with temporary undo enabled. An UPDATE is executed on a temporary table. Where is the UNDO stored?

- A. in the undo tablespace
- B. in the SYSAUX tablespace
- C. in the SGA
- D. in the PGA
- E. in the temporary tablespace

Answer: A

Reference: <https://docs.oracle.com/database/121/ADMIN/undo.htm#ADMIN11478> (16.7)

Question: 78

Which statement is true about the INTERSECT operator used in compound queries?

- A. Multiple INTERSECT operators are not possible in the same SQL statement
- B. It processes NULLs in the selected columns
- C. INTERSECT is of lower precedence than UNION or UNION ALL
- D. It ignores NULLs

Answer: B

Question: 79

Which three statements are true about advanced connection options supported by Oracle Net for connection to Oracle Database instances? (Choose three.)

- A. Connect Time Failover requires the use of Transparent Application Failover (TAF)
- B. Source Routing requires the use of a name server
- C. Source Routing enables the use of Connection Manager (CMAN) which enables network traffic to be routed through a firewall
- D. Load Balancing can balance the number of connections to dispatchers when using a Shared Server configuration
- E. Load Balancing requires the use of a name server
- F. Connect Time Failover requires the connect string to have two or more listener addresses configured

Answer: BCF

Reference: [https://docs.oracle.com/cd/E11882\\_01/network.112/e41945/advcfg.htm#NETAG013](https://docs.oracle.com/cd/E11882_01/network.112/e41945/advcfg.htm#NETAG013)

Question: 80

You execute this command:

```
CREATE BIGFILE TABLESPACE big_tbs
    DATAFILE '/u01/oracle/data/big_f1.dbf'
    SIZE 20G;
```

Sufficient storage is available in filesystem /u01.

Which two statements are true about the BIG\_TBS tablespace? (Choose two.)

- A. AUTOEXTEND is possible for the datafile**
- B. It must be bigger than the largest SMALLFILE tablespace**
- C. Additional data files may not be added**
- D. It will be a dictionary-managed tablespace by default**
- E. It will always have a 32K blocksize**

Answer: AB

For More exams visit <https://killexams.com/vendors-exam-list>



*Kill your exam at First Attempt....Guaranteed!*