

QUESTIONS & ANSWERS

Kill your exam at first Attempt



Copado-Developer Dumps
Copado-Developer Braindumps
Copado-Developer Real Questions
Copado-Developer Practice Test
Copado-Developer dumps free



Copado

Copado-Developer

Copado Developer Certification

<http://killexams.com/pass4sure/exam-detail/Copado-Developer>



Question: 26

Dave has set up the following connection behavior in INT:

The screenshot shows the Copado configuration interface for the INT environment. It is divided into three main sections: Deployment Behaviors, Back-Promotion Behaviors, and Post-deployment Actions. The Deployment Behaviors section is expanded, showing the following settings:

- Deployment Behavior: Automated
- Schedule Deployments: (empty)
- Scheduled Deployment Max Batch Size: 1
- Deployment Schedule: (empty)

Below these sections is the Quality Gates section, which contains one item: a Compliance Check. The table below summarizes the Quality Gate configuration:

Quality Gate Name	Type	Metadata Group
1 Compliance Check	Compliance Check	Profiles and Permission Sets

He has created a new profile in dev1 and is going to commit it on a user story.

What will happen after he clicks on Submit Changes?

- A . If the profile passes the compliance check, the user story will be displayed in the count of user stories ahead on the Pipeline page and Dave will have to manually promote it from there by clicking on Promote & Deploy.
- B . If the profile passes the compliance check, Copado will create a Promotion and a Deployment record and Dave will need to click on Deploy from the Deployment record.
- C . If the profile passes the compliance check, Copado will create a Promotion and a Deployment record and will automatically deploy it to IN
- E . If the profile passes the compliance check, Copado will create a Promotion and a Deployment record and Dave will need to click on Promote & Deploy from the Deployment record.

Answer: C

Question: 27

After deleting a component in Dev1, Debbie has created a new user story to delete the component from the repository and upper environments. She has refreshed the metadata index before selecting the component.

What can she do now in order to perform a destructive change commit of the component?

- A . Change the org credential and the environment on the user story and find the component in another org.

- B . Edit the metadata attachment on the user story and add the component.
- C . Click on Revert Metadata Index to return to the previous status.
- D . Use the Add Row button on the Commit Changes page and add the API name of the component.

Answer: A

Question: 28

To which of the following components does Copado apply the resolution strategy "branch A wins over branch B"?
Select all that apply!

- A . Apex classes
- B . Custom objects
- C . Profiles
- D . Layouts

Answer: A,D

Question: 29

You have a PMD static code analysis rule with priority 2. If this rule is violated once, what

will be the violation score?

- A . 3
- B . 4
- C . 6
- D . 2

Answer: B

Question: 30

Debbie has created a new custom field in Dev1. She commits it on a user story together with the permission set to deploy FLS. After committing the changes, she realizes she forgot to grant the permission set access to the field in Dev1, so she goes back to Dev1 and updates the FLS.

What is the easiest way to ensure the FLS is deployed to the next environment together with the field?

- A . She can go back to the user story where she committed the changes and use the Recommit Files Git operation.
- B . She needs to create a new user story and commit again the permission set.
- C . She needs to delete the user story, create a new one and commit again the field and the permission set.
- D . She needs to create a new user story and commit again the custom field.

Answer: A

For More exams visit <https://killexams.com/vendors-exam-list>



Kill your exam at First Attempt....Guaranteed!